



ACRYLIC CLEAR

MEGASHEEN™

PRODUCT INFORMATION

PRODUCT DESCRIPTION A fast drying single pack clear acrylic coating.

INTENDED USES This flat finish coating is applicable on both exterior and interior concrete surfaces.

PRODUCT DESCRIPTION

Color	Clear
Finish/Sheen	Flat (ISO 2813:1978)
Part B (Curing Agent)	Not Applicable
Volume Solids	31 +/- 3% (ISO 3233:1998)
Mix Ratio	Not applicable
Typical Film Thickness	Not applicable
Theoretical Coverage	Not applicable
Method of Application	Brush, Roller, Conventional Spray
Flash Point	30°C
Induction Period	Not applicable

APPLICATION DETAILS

Mixing	Material is supplied in a one pack container.
Cleaner	Use GTA 007
Airless Spray	Not Recommended
Conventional Spray, Brush, and Roller	Recommended

DRYING INFORMATION

	28°C	32°C
Touch Dry (ISO1517:73)	5 minutes	3 minutes
Hard Dry (ISO9117:90)	4 hours	4 hours
Pot Life	Not applicable	Not applicable

OVERCOATING DATA - See limitations

Overcoated by:

Self:

Not applicable



ACRYLIC CLEAR

MEGASHEEN™

STORAGE AND HANDLING

Storage	24 months minimum at 25°C. Subject to reinspection thereafter. Store in dry, shaded conditions away from sources of heat and ignition
Pack Size	4 Liters

SURFACE PREPARATION

All surfaces to be coated must be clean, dry, and free from contamination.

LIMITATIONS

Multiple coatings by itself is not recommended as the flat finish may not be achieved.

SAFETY PRECAUTIONS

Avoid contact with skin and eyes use proper equipment when handling material (i.e. gloves, goggles, face mask, barrier creams, etc.) Wash affected skin with lukewarm water and soap or suitable industrial cleaner. If come contact with eyes, flush eyes with water for at least 10 minutes and seek for immediate medical attention.

Important Note

The details in this datasheet are not meant to be comprehensive. MegaPaint shall not liable for any use of the product that is not specifically recommended in the datasheet without written permission. Any warranty, if given, or specific Terms & Conditions of Sale are contained in MegaPaint's Terms & Conditions of Sale. The recommendations and remarks in this datasheet and by representatives regarding this product are accurate to the best of our understanding, but we cannot assure outside factors such as the quality of substrate when applying our product. Thus, we are not responsible for any damages except in cases where in there is written agreement regarding the use of our product. The details in this datasheet are subject to change without prior notice due to alterations brought about by local laws or improvement of our product.

All trademarks mentioned in this publication are owned by, or licensed to, Megapaint Corporation

www.megapaint.com.ph